According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018		DS Number: 0001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018
SECTION	1. IDENTIFICATION			
Produ	uct name	:	Shell Rotella EL	C Concentrate
Produ	uct code	:	001B1506	
Manu	ufacturer or supplier's	deta	ails	
Manu	ufacturer/Supplier	:	Shell Oil Produ PO Box 4427 Houston TX 77 USA	
	Request omer Service	:	(+1) 877-276-72	285
Eme	rgency telephone num	ber		
Spill		:	877-504-9351 877-242-7400	
	mmended use of the c mmended use		nical and restrict Antifreeze and o	
SECTION	2. HAZARDS IDENTIFI		ΓΙΟΝ	
GHS	classification in accor	dan	ce with 29 CFR 1	910.1200
Acute	e toxicity (Oral)	:	Category 4	
	ific target organ toxicity eated exposure	:	Category 2 (Kid	ney)
GHS	label elements			
Haza	rd pictograms	:		
Signa	al word	:	Warning	
Haza	rd statements	:	HEALTH HAZAI H302 Harmful if H373 May cause peated exposure ENVIRONMENT	a physical hazard under GHS criteria. RDS: swallowed. e damage to organs through prolonged or re- e if swallowed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018	SDS Number: 800001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018	
Preca	autionary statements		nds thoroughly after handling. t, drink or smoke when using this product.	
		Response: P301 + P312 IF if you feel unwe P330 Rinse mo		
		Storage:		
		No precautiona	ary phrases.	
		Disposal:		
		P501 Dispose c posal plant.	of contents/ container to an approved waste dis-	
Conta	rdous components whi ains ethanediol. ains bittering agent.	ch must be listed on th	ne label:	
Othe	r hazards which do n	ot result in classifica	tion	
death	۱.		ure may cause multiple organ damage and or	
The c	The classification of this material is based on OSHA HCS 2012 criteria.			

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture of ethylene glycol, water and additives.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Sodium nitrite	sodium nitrite	7632-00-0	0.1 - 0.9
Diethylene glycol	2,2'- oxydiethanol	111-46-6	1 - 5
Ethanediol	ethane-1,2-diol	107-21-1	80 - 100

SECTION 4. FIRST-AID MEASURES

General advice	:	DO NOT DELAY. Keep victim calm. Obtain medical treatment immediately.
If inhaled	:	Remove to fresh air. If rapid recovery does not occur, transport to nearest medical facility for additional treatment.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Versi 9.0	ion	Revision Date: 08/28/2018		S Number: 0001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018	
	If swalle	owed	:	medical facility for	ot induce vomiting: transport to nearest additional treatment. If vomiting occurs ep head below hips to prevent aspiration.	
i	Most important symptoms and effects, both acute and delayed		:	Kidney toxicity may be recognized by blood in the urine or increased or decreased urine flow. Other signs and symptoms can include nausea, vomiting, abdominal cramps, diarrhoea, lumbar pain shortly after ingestion, and possibly narcosis and death. High concentrations may cause central nervous system de- pression resulting in headaches, dizziness and nausea; con- tinued inhalation may result in unconsciousness and/or death		
	Protect	ion of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.	
	medica	on of any immediate I attention and special ent needed	:	The preferred treat ical facility and use administration of a gastric aspiration. able and a delay of such medical atter may be appropriat there are any sign sidered on a case Specific other treat	ATMENT IS EXTREMELY IMPORTANT! timent is immediate transportation to a med- e of appropriate treatment including possible activated charcoal, gastric lavage and or If none of the above are immediately avail- of more than one hour is anticipated before ntion can be obtained, induction of vomiting te using IPECAC syrup (Contraindicated if s of CNS depression). This should be con- by case basis following specialist advice. timents may include ethanol therapy, fomep- acidosis and haemodialysis. Seek specialist ay.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment	:	Proper protective equipment including chemical resistant

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

			Date of last issue: 08/28/2018	
for firefighters		gloves are to be worn; chemical resistant suit is indicated it large contact with spilled product is expected. Self-Contain Breathing Apparatus must be worn when approaching a fir a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).		
			skin and eves	
quipment and emer-	•			
onmental precautions	:	nation. Prevent fr	containment to avoid environmental contami- om spreading or entering drains, ditches or nd, earth, or other appropriate barriers.	
			should be advised if significant spillages ed.	
Methods and materials for containment and cleaning up		means such as va safe disposal. Do as contaminated up with an approp	wills (> 1 drum), transfer by mechanical acuum truck to a salvage tank for recovery or not flush away residues with water. Retain waste. Allow residues to evaporate or soak oriate absorbent material and dispose of ontaminated soil and dispose of safely	
		means to a labele safe disposal. Allo appropriate absor	bills (< 1 drum), transfer by mechanical ed, sealable container for product recovery or ow residues to evaporate or soak up with an bent material and dispose of safely. Remove and dispose of safely.	
Additional advice		see Chapter 8 of For guidance on o	selection of personal protective equipment this Safety Data Sheet. disposal of spilled material see Chapter 13 of Sheet.	
			should be advised if significant spillages ied.	
		al to the environm	nay require reporting releases of this materi- nent which exceed the reportable quantity 15) to the National Response Center at	
	6. ACCIDENTAL RELE nal precautions, protec- quipment and emer- procedures onmental precautions	6. ACCIDENTAL RELEASI nal precautions, protec- : quipment and emer- procedures onmental precautions : ods and materials for : nment and cleaning up	arge contact with Breathing Appara a confined space. relevant Standard 6. ACCIDENTAL RELEASE MEASURES nal precautions, protec- procedures onmental precautions : Use appropriate of nation. Prevent fra- rivers by using sa bds and materials for imment and cleaning up : For large liquid sp means such as va safe disposal. Do as contaminated of up with an appropriate absor contaminated soil onal advice : : For guidance on si see Chapter 8 of For guidance on of this Safety Data Si Local authorities ac cannot be contain	

SECTION 7. HANDLING AND STORAGE

Technical measures	Use local exhaust ventilation if there is risk of inhalation of
	vapours, mists or aerosols.
	Use the information in this data sheet as input to a risk as-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018		0S Number: 0001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018	
				circumstances to help determine appropri- afe handling, storage and disposal of this	
Advice on safe handling		:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate rials in order to prevent fires.		
Avoidance of contact		:	Strong oxidising a	agents.	
Further information on stor- age stability		:	place.	ghtly closed and in a cool, well-ventilated led and closable containers. temperature.	
Packa	aging material	:	steel or high dens	For containers or container linings, use mild sity polyethylene. al: Zinc., Avoid contact with galvanized ma-	
Container Advice		:		tainers should not be exposed to high tem- e of possible risk of distortion.	

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Ethanediol	107-21-1	TWA (Va-	25 ppm	ACGIH
		pour)		
Ethanediol		STEL (Va-	50 ppm	ACGIH
		pour)		

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version	Revision Date:	SDS Number:	Print Date: 08/29/2018
9.0	08/28/2018	800001027082	Date of last issue: 08/28/2018

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures :	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information:
	Define procedures for safe handling and maintenance of controls.
	Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.
	Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.
	Drain down system prior to equipment break-in or mainte- nance.
	Retain drain downs in sealed storage pending disposal or subsequent recycle.
	Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard con- taminated clothing and footwear that cannot be cleaned. Practice good housekeeping.
Personal protective equipment	
Respiratory protection :	No respiratory protection is ordinarily required under normal conditions of use.

In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018	SDS Number:Print Date: 08/29/2018800001027082Date of last issue: 08/28/2018
		Where air-filtering respirators are suitable, select an appro- priate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours [Type A/Type P boiling point >65°C (149°F)].
	d protection Remarks	: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is nor a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Eye	protection	: If material is handled such that it could be splashed into eyes protective eyewear is recommended.
Skin	and body protection	 Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Prote	ective measures	: Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.
The	mal hazards	: Not applicable
Env	ironmental exposure c	ntrols
Gen	eral advice	: Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination

vant environmental protection legislation. Avoid contamination of the environment by following advice given in Chapter 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances

Density

Solubility(ies)

octanol/water

Water solubility

Partition coefficient: n-

Auto-ignition temperature

Solubility in other solvents

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018		S Number: 0001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018
			must be observed vapour.	d for the discharge of exhaust air containing
SECTION	N 9. PHYSICAL AND CH	EMI	CAL PROPERTIE	S
Арре	earance	:	Liquid at room te	emperature.
Colo	pur	:	red	
Odo	ur	:	characteristic	
Odo	ur Threshold	:	Data not availab	le
рН		:	Not applicable	
Melti	Melting point/freezing point		-36.7 °C / -34.1 ° (100.0 hPa) Method: ASTM [
Initia rang	I boiling point and boiling e	:	> 100 °C / 212 °I estimated value(
Flas	h point	:	130 °C / 266 °F	
			Method: ASTM	D93 (PMCC)
Evap	poration rate	:	Data not availab	le
Flam	nmability (solid, gas)	:	Data not availab	le
	er explosion limit / upper mability limit	:	Typical 15 %(V)	
	er explosion limit / Lower mability limit	:	Typical 3 %(V)	
Vapo	our pressure	:	Data not availab	le
Rela	tive vapour density	:	Data not availab	le
Rela	tive density	:	1.130 (15.6 °C /	60.1 °F)
D			4 400 1 / 0 /45	

1,130 kg/m3 (15.6 °C / 60.1 °F)

Method: Unspecified

completely soluble

Data not available

Data not available

: > 200 °C / 392 °F

:

:

:

:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

-	/ersion).0	Revision Date: 08/28/2018	SDS Number: 800001027082		Print Date: 08/29/2018 Date of last issue: 08/28/2018	
	Decom	position temperature	:	Data not availab	le	
	Viscos Vise	ity cosity, dynamic	:	Data not availab	le	
	Vis	cosity, kinematic	:	30 mm2/s (40.0 °C / 104.0 °F)		
				Method: Unspec	ified	
	Conductivity		:	This material is r	not expected to be a static accumulator.	
_						
3	SECTION 1	0. STABILITY AND RE	EAC	IIVII Y		
	Chemi	cal stability	:	Stable.		
	Possib tions	ility of hazardous reac-	:	Reacts with stro	ng oxidising agents.	
	Condit	ions to avoid	:	Extremes of tem	perature and direct sunlight.	
				o		

Incompatible materials	:	Strong oxidising agents.
Hazardous decomposition	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	ssessment :	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise,
		the data presented is representative of the product as a whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

products

Product:	
Acute oral toxicity	LD50 (rat): > 500 - 2,000 mg/kg Remarks: Harmful if swallowed.
	Remarks: There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup). This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs. Ingestion may cause drowsiness and dizziness.
Acute inhalation toxicity	LC 50 (Rat): > 5 mg/l Exposure time: 4 h

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018	SDS Number: 800001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018
		Remarks: Low to:	xicity:
Acute dermal toxicity		: LD50 (Rabbit): > Remarks: Low to:	

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	

Product:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version	Revision Date:	SDS Number:	Print Date: 08/29/2018
9.0	08/28/2018	800001027082	Date of last issue: 08/28/2018

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Kidney: can cause kidney damage.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).
Ecotoxicity	
Product: Toxicity to fish (Acute toxici- : ty)	Remarks: LC/EC/IC50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other : aquatic invertebrates (Acute toxicity)	Remarks: LC/EC/IC50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae (Acute tox- : icity)	Remarks: LC/EC/IC50 > 100 mg/l

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

rsion)	Revision Date: 08/28/2018		0S Number: 0001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018	
			Practically non to Based on availab	xic: le data, the classification criteria are not me	
Toxic icity)	ity to fish (Chronic tox-	:	Remarks: Data no	ot available	
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Remarks: Data no	ot available	
	ity to microorganisms e toxicity)	:	Remarks: Data not available		
Persi	stence and degradabili	ty			
Prod	uct:				
Biode	gradability	:	Remarks: Readily	v biodegradable.	
Bioad	ccumulative potential				
Produ	uct:				
Bioaccumulation		:	Remarks: Does n	ot bioaccumulate significantly.	
Mobi	lity in soil				
Prod	uct:				
Mobil	ity	:			
Othe	adverse effects				
Prod	uct:				
Additi matio	onal ecological infor-	:		one depletion potential, photochemical otential or global warming potential.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018	SDS Number: 800001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018
		Waste, spills	, or be disposed of into the environment. or used product is dangerous waste.
Contaminated packaging		: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.	
Local Rema	legislation rks	•	uld be in accordance with applicable regional, local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transportation Classification (49 CFR Parts 171-180)				
UN/ID/NA number	•	UN 3062		
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethylene glycol)		
Class	:	9		
Packing group	:	III		
Labels	:	9		
Reportable quantity		Ethylene glycol (5,000 lb)		
ERG Code	:	171		
Marine pollutant	:	no		
Remarks	:	This material is not regulated under 49 CFR if in a container of 119 gallon capacity or less.		

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version	Revision Date:	SDS Number:	Print Date: 08/29/2018
9.0	08/28/2018	800001027082	Date of last issue: 08/28/2018

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Ethanediol	107-21-1	5000	5263
* Obell electrifice this meterial as an Inill under the OFDOLA Detroloum Fuchation, therefore as			

*: Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA., The components with RQs are given for information.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute toxicity (any route of exposure) Specific target organ toxicity (single or repeated exposure)		
SARA 313	:	The following components are subject to reporting levels es- tablished by SARA Title III, Section 313:		
		Ethanediol	107-21-1	>= 90 - <= 100 %
Clean Water Act The following Hazardous Chem	nic	als are listed under the U.S	. CleanWater Act	. Section 311. Table

117.3:

Sodium nitrite	7632-00-0	0.165 %
Socium minie	1032-00-0	0.105 %

US State Regulations

Pennsylvania Right To Know

Ethanediol	107-21-1
Diethylene glycol	111-46-6
Sodium nitrite	7632-00-0
2-(2-butoxyethoxy)ethanol	112-34-5

California Prop. 65

WARNING: This product can expose you to chemicals including Ethanediol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Ethanediol

107-21-1

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version 9.0	Revision Date: 08/28/2018	SDS Number: 800001027082	Print Date: 08/29/2018 Date of last issue: 08/28/2018	
EINEC	CS	: Not established		
TSCA		: All components listed.		
DSL		: All components listed.		

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 2, 1, 0 tivity)

Full text of other abbreviations

ACGIH ACGIH / TWA ACGIH / STEL Abbreviations and Acronyms		USA. ACGIH Threshold Limit Values (TLV) 8-hour, time-weighted average Short-term exposure limit The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Moinfal Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventory EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella ELC Concentrate

Version	Revision Date:	SDS Number:	
9.0	08/28/2018	800001027082	
		IC50 = Inhibito IL50 = Inhibitor IMDG = Interna INV = Chinese IP346 = Institu determination of KECI = Korea LC50 = Lethal LD50 = Lethal LL/EL/IL = Leth LL50 = Lethal I MARPOL = Inte Pollution From NOEC/NOEL = served Effect L OE_HPV = Oc PBT = Persiste PICCS = Philip Substances PNEC = Predic REACH = Reg Chemicals RID = Regulati gerous Goods SKIN_DES = S STEL = Short t TRA = Targete TSCA = US To TWA = Time-W	Ational Maritime Dangerous Goods Chemicals Inventory ute of Petroleum test method N° 346 for the of polycyclic aromatics DMSO-extractables Existing Chemicals Inventory Concentration fifty Dose fifty per cent. hal Loading/Effective Loading/Inhibitory loading Loading fifty ernational Convention for the Prevention of Ships = No Observed Effect Concentration / No Ob- level cupational Exposure - High Production Volume ent, Bioaccumulative and Toxic opine Inventory of Chemicals and Chemical cted No Effect Concentration istration Evaluation And Authorisation Of ons Relating to International Carriage of Dan-

A vertical bar (|) in the left margin indicates an amendment from the previous version. Due to a change in detail in Section 15, this document has been released as a significant change.

Revision Date

: 08/28/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN