According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version 1.1	Revision Date: 07/16/2018	SDS Number: 800010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018					
SECTION	SECTION 1. IDENTIFICATION							
Produ	uct name	: Shell Rotella G	as Truck 0W-20					
Produ	uct code	: 001H0881						
Manu	afacturer or supplier	's details						
Manu	facturer/Supplier	: Shell Oil Produ PO Box 4427 Houston TX 77 USA						
	Request omer Service	: (+1) 877-276-7285 :						
Emei	rgency telephone nu	mber						
Spill	Information	: 877-504-9351						
Healt	h Information	: 877-242-7400						
Reco	mmended use of the	e chemical and restric	tions on use					
Reco	mmended use	: Engine oil.						
SECTION	2. HAZARDS IDENT	IFICATION						

GHS classification in accordance with 29 CFR 1910.1200

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements Hazard pictograms :	No Hazard Symbol required
Signal word	No signal word
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	Prevention: No precautionary phrases. Response: No precautionary phrases.
	Storage: No precautionary phrases.
	Disposal:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version	Revision Date:	SDS Number:	Print Date: 07/17/2018
1.1	07/16/2018	800010033033	Date of last issue: 07/16/2018

No precautionary phrases.

Other hazards

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	 Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent.
	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0

53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69-9.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Polyolefin polyamine succinimide polyol **		Not Assigned	1 - 3
Alkaryl amine	bis(nonylphenyl)amine	36878-20-3	1 - 3
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		Not Assigned	0 - 90

** polymer exempt.

SECTION 4. FIRST-AID MEASURES

If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Versior 1.1	Revision Date: 07/16/2018		9S Number: 0010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018	
			rinsing.	enses, if present and easy to do. Continue ion occurs, obtain medical attention.	
If swallowed		:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
Most important symptoms and effects, both acute and delayed		:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
Protection of first-aiders		:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
Indication of any immediate medical attention and special treatment needed		:	Treat symptomati	cally.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Avoid contact with skin and eyes.
tive equipment and emer-		
gency procedures		

Environmental precautions : Use appropriate containment to avoid environmental contami-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.1	Revision Date: 07/16/2018	SDS Number: 800010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
	ods and materials for inment and cleaning up	rivers by using Local authorit cannot be cor : Slippery wher Prevent from or other conta Reclaim liquic Soak up resid	nt from spreading or entering drains, ditches or g sand, earth, or other appropriate barriers. ies should be advised if significant spillages ntained. In spilt. Avoid accidents, clean up immediately. spreading by making a barrier with sand, earth ainment material. I directly or in an absorbent. lue with an absorbent such as clay, sand or other rial and dispose of properly.
Additi	onal advice	see Chapter 8	on selection of personal protective equipment 3 of this Safety Data Sheet. on disposal of spilled material see Chapter 13 of ata Sheet.
SECTION 7. HANDLING AND STORAGE			
Tech	nical measures	vapours, mist Use the inforr sessment of l	aust ventilation if there is risk of inhalation of s or aerosols. nation in this data sheet as input to a risk as- ocal circumstances to help determine appropri- or safe handling, storage and disposal of this

When handling product in drums, safety footwear should be worn and proper handling equipment should be used.	Advice on safe handling	Properly dispose of any contaminated rags or cleaning mate-
--	-------------------------	---

- Avoidance of contact : Strong oxidising agents.
- Product Transfer : Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
- Further information on stor-
age stability:Keep container tightly closed and in a cool, well-ventilated
place.
Use properly labeled and closable containers.
 - Store at ambient temperature.
- Packaging material
 Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
 Container Advice
 Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version	Revision Date:	SDS Number:	Print Date: 07/17/2018
1.1	07/16/2018	800010033033	Date of last issue: 07/16/2018

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral		TWA (Inhal- able fraction)	5 mg/m3	ACGIH

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures :	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.1	Revision Date: 07/16/2018	SDS Number: 800010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
		Drain down sy nance. Retain drain d subsequent re Always observ washing hand drinking, and/o protective equ taminated clot	cal exhaust ventilation. rstem prior to equipment break-in or mainte- owns in sealed storage pending disposal or rcycle. re good personal hygiene measures, such as s after handling the material and before eating, or smoking. Routinely wash work clothing and ipment to remove contaminants. Discard con- hing and footwear that cannot be cleaned. housekeeping.
Perso	onal protective equip	oment	
Resp	iratory protection	conditions of u In accordance tions should b If engineering tions to a leve select respirat cific conditions Check with res Where air-filte priate combina Select a filter s	protection is ordinarily required under normal use. with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- l which is adequate to protect worker health, ory protection equipment suitable for the spe- s of use and meeting relevant legislation. spiratory protective equipment suppliers. ring respirators are suitable, select an appro- ation of mask and filter. suitable for the combination of organic gases (Type A/Type P boiling point >65°C (149°F)].
Hand	protection		
	emarks	gloves approv US: F739) ma suitable chem gloves Suitabi usage, e.g. fre sistance of glo glove supplier Personal hygie Gloves must of gloves, hands cation of a nor For continuous through time of 480 minutes w short-term/spla recognize that may not be av time maybe ac and replaceme a good predict dependent on Glove thickness	ontact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374, de from the following materials may provide ical protection. PVC, neoprene or nitrile rubber lity and durability of a glove is dependent on equency and duration of contact, chemical re- ove material, dexterity. Always seek advice from s. Contaminated gloves should be replaced. ene is a key element of effective hand care. only be worn on clean hands. After using should be washed and dried thoroughly. Appli- n-perfumed moisturizer is recommended. s contact we recommend gloves with break- of more than 240 minutes with preference for > where suitable gloves can be identified. For ash protection we recommend the same, but suitable gloves offering this level of protection ailable and in this case a lower breakthrough cceptable so long as appropriate maintenance ent regimes are followed. Glove thickness is not tor of glove resistance to a chemical as it is the exact composition of the glove material. ss should be typically greater than 0.35 mm the glove make and model.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Versi 1.1	ion	Revision Date: 07/16/2018		S Number: 0010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
	Eye pro	otection	:		lled such that it could be splashed into eyes, ar is recommended.
	Skin an	d body protection	:	work clothes.	not ordinarily required beyond standard to wear chemical resistant gloves.
	Protect	ive measures	:		ve equipment (PPE) should meet recom- standards. Check with PPE suppliers.
	Therma	al hazards	:	Not applicable	
	Enviro	nmental exposure co	ntro	ls	
	Genera	I advice	:	vant environment of the environment necessary, preven charged to waste municipal or indus discharge to surfa Local guidelines of	measures to fulfill the requirements of rele- al protection legislation. Avoid contamination at by following advice given in Chapter 6. If at undissolved material from being dis- water. Waste water should be treated in a strial waste water treatment plant before ace water. on emission limits for volatile substances I for the discharge of exhaust air containing
SEC	TION 9	. PHYSICAL AND CHE	ЕМІС	CAL PROPERTIES	6
	Appear	ance	:	Liquid at room te	mperature.
	Colour		:	amber	
	Odour		:	Slight hydrocarbo	on
	Odour ⁻	Threshold	:	Data not availabl	e
	рН		:	Not applicable	
	pour po	bint	:	-48 °C / -54 °F Method: ASTM D	097
	Initial b range	oiling point and boiling	:	> 280 °C / 536 °F estimated value(
	Flash p	oint	:	241 °C / 466 °F	
				Method: ASTM D	092 (COC)
	Evapor	ation rate	:	Data not availabl	e

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

/ersion ∣.1	Revision Date: 07/16/2018		S Number: 0010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
flamn	nability limit			
	er explosion limit / Lower nability limit	:	Typical 1 %(V)	
Vapo	ur pressure	:	< 0.5 Pa (20 °C	/ 68 °F)
			estimated value	(S)
Relat	ive vapour density	:	> 1 estimated value	(s)
Relat	ive density	:	0.833 (15.0 °C /	59.0 °F)
Dens	ity	:	833 kg/m3 (15.0 Method: ASTM I	
	pility(ies) /ater solubility	:	negligible	
So	olubility in other solvents	:	Data not availab	le
	ion coefficient: n- ol/water	:	0	nation on similar products)
Auto-	ignition temperature	:	> 320 °C / 608 °	F
Deco	mposition temperature	:	Data not availab	le
Visco Vi	osity scosity, dynamic	:	Data not availab	le
Vi	scosity, kinematic	:	8.4 mm2/s (100	°C / 212 °F)
			Method: ASTM I	D445
			44.8 mm2/s (40.	.0 °C / 104.0 °F)
			Method: ASTM I	D445
Explo	osive properties	:	Not classified	
Oxidi	zing properties	:	Data not availab	le
Cond	luctivity	:	This material is	not expected to be a static accumulator.
ECTION	10. STABILITY AND RI	EAC	ΤΙVITY	
Reac	tivity	:		es not pose any further reactivity hazards

addition to those listed in the following sub-paragraph.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version 1.1	Revision Date: 07/16/2018		9S Number: 0010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
Post	sibility of hazardous reac	- :	Reacts with stror	ng oxidising agents.
Con	ditions to avoid	:	Extremes of tem	perature and direct sunlight.
Inco	mpatible materials	:	Strong oxidising	agents.
	ardous decomposition lucts	:	No decompositio	on if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise,
		the data presented is representative of the product as a whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:	
Acute oral toxicity	 LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	 LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version	Revision Date:	SDS Number:	Print Date: 07/17/2018
1.1	07/16/2018	800010033033	Date of last issue: 07/16/2018

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version	Revision Date:	SDS Number:	Print Date: 07/17/2018
1.1	07/16/2018	800010033033	Date of last issue: 07/16/2018

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity		
<u>Product:</u> Toxicity to fish (Acute toxici- ty)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae (Acute tox- icity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic tox- icity)	:	Remarks: Data not available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version 1.1	Revision Date: 07/16/2018	-	0S Number: 0010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
Persis	stence and degradat	oility		
<u>Produ</u>	<u>ict:</u>			
Biode	gradability	:	Major constitue	readily biodegradable. ents are inherently biodegradable, but contains at may persist in the environment.
Bioac	cumulative potentia	I		
<u>Produ</u>	<u>uct:</u>			
Bioac	cumulation	:	Remarks: Cont cumulate.	ains components with the potential to bioac-
Mobil	ity in soil			
<u>Produ</u>	<u>ict:</u>			
Mobili	ty	:		id under most environmental conditions. it will adsorb to soil particles and will not be
			Remarks: Floa	ts on water.
Other	adverse effects			
Produ	ıct:			
	onal ecological infor-	:	ozone creation Product is a mi	ozone depletion potential, photochemical potential or global warming potential. xture of non-volatile components, which will not air in any significant quantities under normal se.
			Poorly soluble Causes physic	mixture. al fouling of aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
•		Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth- ods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
		Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
Contaminated packaging	:	Dispose in accordance with prevailing regulations, preferably

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version	Revision Date:	SDS Number:	Print Date: 07/17/2018
1.1	07/16/2018	800010033033	Date of last issue: 07/16/2018
		the collector or Disposal should	I collector or contractor. The competence of contractor should be established beforehand. d be in accordance with applicable regional, cal laws and regulations.
Local	l legislation	•	d be in accordance with applicable regional,
Rema	arks		cal laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

*: This material does not contain any components with a CERCLA RQ., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

rsion I	Revision Date: 07/16/2018	SDS Number: 800010033033	Print Date: 07/1 Date of last issu	
SAR	A 313	known CAS nu	mbers that exceed	chemical components with the threshold (De Minimis) RA Title III, Section 313.
Clear	n Water Act			
	product does not cont on 311, Table 117.3.	ain any Hazardous Che	micals listed under	the U.S. CleanWater Act,
US S	tate Regulations			
Penn	Zinc dialkyldithio	leum), hydrotreated hea		64742-54-7 4259-15-8 64742-65-0
Califo	ornia Prop. 65			
	product does not cont ets, or any other repro		n to State of Califo	rnia to cause cancer, birth
Califo	ornia List of Hazardo Distillates (petro	bus Substances leum), hydrotreated hea	avy paraffinic	64742-54-7
Othe	r regulations:			
	egulatory information s material.	is not intended to be co	mprehensive. Othe	er regulations may apply
The c	components of this p	product are reported i	n the following inv	ventories:
EINE	CS/ELINCS/EC	: All components	listed or polymer e	xempt.
TSCA	A	: All components	listed.	
DSL		: All components	listed.	

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
Abbreviations and Acronyms	:	The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.

ACGIH = American Conference of Governmental Industrial

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 1.1	Revision Date: 07/16/2018	SDS Number: 800010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
		Carriage of Da AICS = Austra ASTM = Ameri BEL = Biologic BTEX = Benzy CAS = Chemic CEFIC = Europ CLP = Classific COC = Clevela DIN = Deutsch DMEL = Derive DNEL = Derive DNEL = Derive DSL = Canada EC = Europea EC50 = Effecti ECETOC = Eu gy Of Chemica ECHA = Europ EINECS = The Chemical Subs EL50 = Effecti ENCS = Japar Inventory EWC = Europe GHS = Globall Labelling of Ch IARC = Interna IC50 = Inhibito IL50 = Inhibito IL50 = Inhibito IMDG = Interna INV = Chinese IP346 = Institu determination of KECI = Korea LC50 = Lethal LD50 = Lethal LL/EL/IL = Leth LL50 = Lethal MARPOL = Int Pollution From NOEC/NOEL = served Effect L OE_HPV = Oc PBT = Persiste PICCS = Philip Substances PNEC = Predic	es Institut fur Normung ed Minimal Effect Level ed No Effect Level a Domestic Substance List in Commission ve Concentration fifty ropean Center on Ecotoxicology and Toxicolo- lis eean Chemicals Agency e European Inventory of Existing Commercial stances ve Loading fifty nese Existing and New Chemical Substances ean Waste Code y Harmonised System of Classification and nemicals ational Agency for Research on Cancer tional Air Transport Association ry Concentration fifty ry Level fifty ational Maritime Dangerous Goods Chemicals Inventory ute of Petroleum test method N° 346 for the of polycyclic aromatics DMSO-extractables Existing Chemicals Inventory Concentration fifty Dose fifty per cent. nal Loading/Effective Loading/Inhibitory loading Loading fifty ernational Convention for the Prevention of Ships = No Observed Effect Concentration / No Ob-
		Rid = Regulat	ons Relating to International Carriage of Dan-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Rotella Gas Truck 0W-20

Version 1.1	Revision Date: 07/16/2018	SDS Number: 800010033033	Print Date: 07/17/2018 Date of last issue: 07/16/2018
		STEL = Short t TRA = Targete TSCA = US To TWA = Time-W	by Rail Skin Designation erm exposure limit d Risk Assessment oxic Substances Control Act /eighted Average ersistent and very Bioaccumulative
A ver	tical bar () in the left r	nargin indicates an am	nendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
Revision Date	:	07/16/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN