

ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil

Safety Data Sheet SDS ID: 820348-ENEOS

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil GRADES 0W-20, 5W-20, 5W-30, 10W-30, 5W-40

Product Code

Prefix 21

Synonyms

PCMO

Product Use

Lubricating oils. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

Phone: 1-847-413-2188

Emergency Phone #: 1-847-413-2188

Restrictions on Use

None known.

SUPPLIER

JX Nippon Oil & Energy USA Inc.

20 N. Martingale Road

Suite 325

Schaumburg, IL 60173

Issue Date

January 7, 2019

Supersedes Issue Date

New issue SDS

Original Issue date

January 7, 2019

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

None needed according to classification criteria.

GHS Label Elements

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil SDS ID: 820348-ENEOS

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
72623-86-0	Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	32-85
72623-87-1	Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	5-50
Mixture	Mineral Oil	6-16
68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	0.7-0.18

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention, if needed.

Skin

IF ON SKIN: Wash with plenty of soap and water. Get medical attention, if needed.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray, water fog. Water or foam may cause frothing.

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Negligible fire hazard. Avoid friction, static electricity and sparks.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce oxides of carbon and unidentified organic compounds.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out.

Page 2 of 9 Rev. 01/19

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil SDS ID: 820348-ENEOS

Special Protective Equipment and Precautions for Firefighters

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal. There may be specific federal regulatory reporting requirements associated with spills, leaks, or releases of this product. Also see SECTION 15: REGULATORY INFORMATION.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks and naked flames. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools and explosion-proof equipment. Use in a well ventilated area. Avoid contact with eyes Skin clothing shoes.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from flame, sparks, static electricity, or other sources of ignition.

Incompatible Materials

Strong oxidizing materials.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Canada and ACGIH have not developed exposure limits for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls.

Individual Protection Measures, such as Personal Protective Equipment Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Page 3 of 9 Rev. 01/19

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil SDS ID: 820348-ENEOS

Glove Recommendations

Where skin contact is likely, wear chemical impervious protective gloves; use of natural rubber or equivalent gloves is not recommended. When products are heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, coveralls, long sleeve shirts, or other protective clothing.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses. Gloves. Lab coat or apron.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

OdorNot availableColorNot availableOdor ThresholdNot availablepHNot availableMelting PointNot availableBoiling PointNot availableBoiling Point RangeNot availableFreezing pointNot availableEvaporation RateNot availableFlammability (solid, gas)Not availableAutoignition TemperatureNot availableFlash Point135 °C (275 °F)Lower Explosive LimitNot availableDecomposition temperatureNot availableUpper Explosive LimitNot availableVapor PressureNot availableVapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: noctanol/waterNot availableViscosity\$20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot availablePhysical FormliquidMolecular WeightNot available	Appearance	Amber liquid	Physical State	Liquid
Melting PointNot availableBoiling PointNot availableBoiling Point RangeNot availableFreezing pointNot availableEvaporation RateNot availableFlammability (solid, gas)Not availableAutoignition TemperatureNot availableFlash Point135 °C (275 °F)Lower Explosive LimitNot availableDecomposition temperatureNot availableUpper Explosive LimitNot availableVapor PressureNot availableVapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: notanol/waterNot availableViscosity\$20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot available	Odor	Not available	Color	Not available
Boiling Point RangeNot availableFreezing pointNot availableEvaporation RateNot availableFlammability (solid, gas)Not availableAutoignition TemperatureNot availableFlash Point135 °C (275 °F)Lower Explosive LimitNot availableDecomposition temperatureNot availableUpper Explosive LimitNot availableVapor PressureNot availableVapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: noctanol/waterNot availableViscosity>20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot available	Odor Threshold	Not available	рН	Not available
Evaporation RateNot availableFlammability (solid, gas)Not availableAutoignition TemperatureNot availableFlash Point135 °C (275 °F)Lower Explosive LimitNot availableDecomposition temperatureNot availableUpper Explosive LimitNot availableVapor PressureNot availableVapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: noctanol/waterNot availableViscosity>20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot available	Melting Point	Not available	Boiling Point	Not available
Autoignition TemperatureNot availableFlash Point135 °C (275 °F)Lower Explosive LimitNot availableDecomposition temperatureNot availableUpper Explosive LimitNot availableVapor PressureNot availableVapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: noctanol/waterNot availableViscosity>20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot available	Boiling Point Range	Not available	Freezing point	Not available
Lower Explosive LimitNot availableDecomposition temperatureNot availableUpper Explosive LimitNot availableVapor PressureNot availableVapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: noctanol/waterNot availableViscosity>20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot available	Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Lower Explosive LimitNot availabletemperatureNot availableUpper Explosive LimitNot availableVapor PressureNot availableVapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: noctanol/waterNot availableViscosity>20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot available	Autoignition Temperature	Not available	Flash Point	135 °C (275 °F)
Vapor Density (air=1)Not availableSpecific Gravity (water=1)Not availableWater SolubilityNot availablePartition coefficient: noctanol/waterNot availableViscosity>20.5 mm2/s 104 °F (40 °C)Kinematic viscosityNot availableSolubility (Other)Not availableDensityNot available	Lower Explosive Limit	Not available	_	Not available
Water Solubility Not available Partition coefficient: noctanol/water Not available Viscosity >20.5 mm2/s 104 °F (40 °C) Kinematic viscosity Not available Solubility (Other) Not available Density Not available	Upper Explosive Limit	Not available	Vapor Pressure	Not available
Water Solubility Not available octanol/water Not available Not available Viscosity >20.5 mm2/s 104 °F (40 °C) Kinematic viscosity Not available Solubility (Other) Not available Density Not available	Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Viscosity (40 °C) Kinematic viscosity Not available Solubility (Other) Not available Density Not available	Water Solubility	Not available		Not available
	Viscosity		Kinematic viscosity	Not available
Physical Form liquid Molecular Weight Not available	Solubility (Other)	Not available	Density	Not available
•	Physical Form	liquid	Molecular Weight	Not available

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition

Page 4 of 9 Rev. 01/19

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil SDS ID: 820348-ENEOS

Incompatible Materials

Avoid oxidizing agents.

Hazardous decomposition products

None under normal temperatures and pressures. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

May cause skin irritation.

Eye Contact

May cause eye irritation.

Ingestion

May cause gastrointestinal irritation, nausea, vomiting, diarrhea.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based (72623-86-0)

Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg; Inhalation LC50 Rat 2.18 mg/L 4 h

Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based (72623-87-1)

Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >2000 mg/kg; Inhalation LC50 Rat 2.18 mg/L 4 h

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Oral	> 2000 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

May cause eye irritation. May cause skin irritation.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No data available

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Page 5 of 9 Rev. 01/19

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil **SDS ID: 820348-ENEOS**

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No information on significant adverse effects.

Medical Conditions Aggravated by Exposure

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

Additional Data

No additional information is available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

May cause long lasting harmful effects to aquatic life.

Component Analysis - Aquatic Toxicity

Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	72623-86-0
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	72623-87-1
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
Phosphorodithioic acid, O,O-di-C1-14- alkyl esters, zinc salts	68649-42-3
Fish:	LC50 96 h Pimephales promelas 1 - 5 mg/L [static]; LC50 96 h Pimephales promelas 10 - 35 mg/L [semi-static]
Invertebrate:	EC50 48 h Daphnia magna 1 - 1.5 mg/L IUCLID

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact JX Nippon Oil & Energy USA Inc. regarding proper recycling or disposal.

Page 6 of 9

_		_	_	-
Pa	\sim	~	~f	•
-a	(10:	n	OI	

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil SDS ID: 820348-ENEOS

Section 14 - TRANSPORT INFORMATION

US DOT Information: Not regulated for transport. **IATA Information:** Not regulated for transport. **IMDG Information:** Not regulated for transport. **TDG Information:** Not regulated for transport.

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous

chemicals in bulk.

Section 15 - REGULATORY INFORMATION

Canada Regulations

CEPA - Priority Substances List

None of this product's components are on the list.

Ozone Depleting Substances

None of this product's components are on the list.

Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

Further information

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

Component Analysis - Inventory

Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based (72623-86-0)

US	CA	EU	AU	РН	JP - ENCS	JP -		-	REACH	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based (72623-87-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KECI -	KR KECI - Annex 2	REACH	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	No	Yes	Yes

Page 7 of 9 Rev. 01/19

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil SDS ID: 820348-ENEOS

Mineral Oil (Mixture)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KECI -	KR KECI - Annex 2	REACH	CN	NZ	MX	TW	VN (Draft)
No	No	No	No	No	No	No	No	No	No	No	No	No	No	No

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	-	KR KECI - Annex 2	REACH	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Issue Date

2019-01: New Product SDS.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational

Page 8 of 9 Rev. 01/19

Material Name: ENEOS Super SN PLUS Full Synthetic Passenger Car Motor Oil SDS ID: 820348-ENEOS

Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, JX Nippon Oil & Energy USA Inc. assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 9 of 9 Rev. 01/19